

EXHIBIT B

EXPRESS MAIL CERTIFICATE

Date _____ Label No. _____
I hereby certify that, on the date indicated above, this paper or fee was deposited with the U.S. Postal Service & that it was addressed for delivery to the Assistant Commissioner for Patents, Washington, DC 20231 by "Express Mail Post Office to Addressee" service.

PLEASE CHARGE ANY DEFICIENCY UP TO \$300.00 OR CREDIT ANY EXCESS IN THE FEES DUE WITH THIS DOCUMENT TO OUR DEPOSIT ACCOUNT NO. 04-0100

Name (Print) _____

Signature _____

Customer No.: _____



07278

PATENT TRADEMARK OFFICE

Docket No: 3671/OJ107

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Armin Prasch et al.

Serial No.: 09/845,682

Art Unit: 16450

Confirmation No.: 2295

Filed: April 26, 2001

Examiner: Jean C. Witz

For: Fibrin tissue adhesive formulation and process for its preparation

DECLARATION UNDER RULE 132

Hon. Commissioner of
Patents and Trademarks
Washington, DC 20231

Sir:

PETER C. SCHMIDT, declares as follows:

1. I am a Professor at the Pharmaceutical Institute, Tübingen University, located at Auf der Morgenstelle 8, D-72076 Tübingen, Germany.

2. I have read the information set forth in U.S. Patent Application No. 09/845,682 ('682

Application) and WO 97/44015 ('44015 Application).

3. I have been asked by Applicants, through their representative, Pfenning, Meinig & Partner, to explain the differences between U.S. Patent Application No. 09/845,682 and WO application 97/44015 in a comparative assessment.

4. The '682 Application and the '44015 Application both make use of fibrinogen and thrombin as active ingredients for a fibrin adhesive formulation, with calcium chloride, albumin, sugar or sugar substitutes as other ingredients.

5. According to the '44015 Application, the ingredients are dissolved in water and then subjected to spray drying at an inlet temperature of 100 °C and an outlet temperature of 65 °C using a Schlick nozzle of type 970/0 with an atomizing pressure of 1 bar. In the '44015 application, thrombin and fibrinogen are processed separately because processing together in solution would initiate a premature reaction. Thus, both active ingredients are subjected to spray drying with a so-called pneumatic nozzle from solution.

6. Spray-drying processes of solutions under conditions mentioned above result in extremely fine powders with particles of about 1 to 20 µm. Accordingly, claim 8 of the '44015 Application logically sets forth particles, wherein 90% are between 10 and 20 µm. Although claim 1 of the '44015 Application refers to soluble, free-flowing microparticles, the free-flowing nature of their product is doubtful due to the small particle size.

7. Figure 1, attached hereto, shows spray-dried microparticles prepared from a solution of bearberry leaf extract. The particle size is in the range of 1 to 10 μm . The hollow-sphere structure is clearly evident from the blow hole in the particle in the middle of the picture. The picture is characteristic for all spray-dried products prepared from solution using a pneumatic nozzle. Hollow microspheres in the range of 1 to 20 μm are always produced and form cohesive powders with a very low apparent density. These powders are difficult to handle, are cohesive and cause problems during further processing, transport and storage. A further disadvantage of the '44015 Application is that in spray drying from solution it is possible only to process the individual components (fibrinogen and thrombin) separately, and the spray-dried products must then be mixed. It is thus impossible from the outset to prepare a product containing both substances together.

8. By contrast, the '682 Application describes granules prepared in a fluidized bed. This entails, for example, an active ingredient concentrate being sprayed from aqueous solution onto a crystalline starting material consisting of a sugar or sugar alcohol. In addition, barrier layers can be applied. The resulting granules usually have a particle size of 30 to 500 μm , preferably 40 to 200 μm . They are thus free-flowing, can be spread, and are rapidly dissolving due to its hydrophilic nature.

9. In principle, the fluidized bed technology makes the following variations possible:

1. Preparation of thrombin-containing granules.
2. Preparation of fibrinogen-containing granules.

3. Preparation of a mixed product composed of the two granules from 1 and 2.
4. Preparation of fibrinogen granules which are subsequently provided with a barrier layer onto which thrombin can be applied in the outer layer. Polyvinylpyrrolidone and water-soluble cellulose derivatives or carbohydrates are suitable as a barrier layer.
5. Preparation of granules with one of the two active ingredients from aqueous solution and subsequent application of the second active ingredient suspended in an organic solvent. Use of an organic solvent in the second stage avoids premature coagulation between fibrinogen and thrombin.

10. The resulting fluidized bed granules are dust-free, with the particle sizes previously specified, free-flowing and easily metered. The morphology of these particles is depicted in Figure 2 for fibrinogen fluidized bed granules and in Figure 3 for thrombin fluidized bed granules. Both Figures are attached. The particles exhibit the typical slightly porous granule structure. They are not hollow spheres.

11. The spray-drying process described in the '44015 Application leads to microparticles with sizes in the range from 1 to 20 μm having hollow-sphere characteristics. They are easily crushed, cohesive and cause difficulties during further processing, transport and storage.

12. The granules described in the '682 Application are compact, slightly porous solid

particles not having hollow-sphere characteristics. The size range is preferably from 40 to 200 μm , resulting in a dust free product with improved flow properties. The granules have rapid dissolution characteristics.

13. Using spray drying, it is possible only to process thrombin and fibrinogen separately. The two active ingredients cannot be processed together in aqueous solution because of coagulation. The separate granules must subsequently be mixed in the desired ratio. By contrast, fluidized bed granulation makes it possible to prepare both separate granules of the two active ingredients and combination products. Possibilities in the preparation of combination products are both preparation without a barrier layer through the use of the second active ingredient in an organic suspension, and preparation with inclusion of a barrier layer and thus separation of the two active ingredients on the same core.

14. Spray drying from solution with pneumatic nozzles always results in microparticles having sizes in the range of 1 to 20 μm with a hollow-sphere structure. Such particles are usually not free-flowing and are cohesive. Granulation preferentially affords particles with sizes of the order of 40 to 200 μm , and coarser particle size distributions can also be achieved using appropriate process parameters. These coarse distributions have improved flow properties, reduced dust formation and rapid dissolution.

15. In summary, therefore, it must be stated that there are considerable differences between the two products, and the '682 Application represents a clear advance over the '44015

Application.

16. I declare further that statements made in this Declaration are of my own knowledge and are true and that all statements made on information and belief are believed to be true and further these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Executed on January 29, 2003



Prof. P. C. Schmidt




Figure 1: Spray-dried microparticles of barberry leaf extract (comparison product)




Figure 2: Fluidized bed fibrinogen granules




Figure 3: Fluidized bed thrombin granules




Abbildung 1: Sprühgetrocknete Mikropartikeln aus Bärentraubenblätter-Extrakt
(Vergleichspräparat)




Abbildung 2: Wirbelschichtgranulat eines Fibrinogen-Granulates




Abbildung 3: Wirbelschichtgranulat eines Thrombin-Granulates

Curriculum Vitae

Peter Christian Schmidt

born on March 4, 1940

1964 - 1967

Study of Pharmacy at the University of Erlangen/Nürnberg, Germany

1967 - 1970

University of Hamburg, Ph. D. Thesis: "The determination of micelle molecular weights of tensides by gel chromatography", supervisor: Prof. Dr. Heinz Sucker

1970 - 1981

Research and development in the pharmaceutical industry in Germany and Switzerland, main interests: development of solid dosage forms and medicaments from plants

1981 - 1988

Professor for Pharmaceutical Technology at the University of Marburg

1984 - 1985

Dean of the Faculty

1984 - 1988

Director of the Institute at the University of Marburg

since 1988

Professor for Pharmaceutical Technology at the University of Tuebingen, Germany

Head of the Department for Pharmaceutical Technology

1991 - 1994

Director of the Institute for Pharmacy

1992 - 1994

Dean of the Faculty for Chemistry and Pharmacy

Research activities

Instrumentation of tablet machines, development of solid dosage forms and new tablet excipients, dry powder inhalations, film coating, development and stabilization of medicaments from plants, supercritical fluid extraction

Publications

around 190 papers, 20 patents and book chapters,
two books: „Phytopharmaceutical Technology“ and „Wirk- und Hilfsstoffe für Rezeptur, Defektur und Großherstellung“

Other activities

Member of several associations like AAPS, German Pharmaceutical Association, International Association for Pharmaceutical Technology (APV), head of two working groups within the last two associations for several years. Member of the Scientific Committee of the German Advisory Board of Pharmacist, Adjunct professor at the University of Cincinnati, Visiting professor at the Universities of Addis Ababa, Ethiopia, Porto Alegre and Natal, Brazil, University of Lisbon, Portugal and University of Ljubljana, Slovenia

Present address

University of Tuebingen
Dept. of Pharmaceutical Technology
Auf der Morgenstelle 8
D-72076 Tuebingen (Germany)

Publikationsliste Prof. Dr. P. C. Schmidt

1998 bis 2002

M. A. Moser, M. Krumme, P. C. Schmidt

Flexure Test of Tablets

Pharmazie, 53, 46-51 (1998)

B. Rotthäuser, G. Kraus, P. C. Schmidt

Vergleich von Schmiermitteln für Brausetabletten mittels Hauptkomponentenanalyse

Pharm. Ind., 60, 541-546 (1998)

K. G. Wagner, M. Krumme, P. C. Schmidt

Investigation of pellet-distribution in single tablets via image analysis

Eur. J. Pharm. Biopharm., 47, 79-85 (1999)

T. Gebre-Mariam, P. C. Schmidt

Some Physico-chemical Properties of Dioscorea Starch from Ethiopia

Starch/Stärke, 50, 241-246 (1998)

C. A. Scheef, P. C. Schmidt

Influence of surface acidity of excipients on the solid state stability of pirenzepine

S. T. P. Pharma Sci., 8, (2), 91-97 (1998)

C. A. Scheef, D. Oelkrug, P. C. Schmidt

Surface acidity of Solid Pharmaceutical Excipients III. Excipients for solid dosage forms

Eur. J. Pharm. Biopharm., 46, 209-213 (1998)

H. M. Cabral Marques, P. C. Schmidt

Simultaneous determination of lactose and sodium cromoglycate in a dry powder inhalation formulation

Pharmazie, 54, 785-786 (1999)

F. Waimer, M. Krumme, P. Danz, U. Tenter, P. C. Schmidt,

A novel method for the detection of sticking of tablets,

Pharm. Dev. Technol., 4, 359-367 (1999)

F. Waimer, M. Krumme, P. Danz, U. Tenter, P. C. Schmidt

A model to investigate the influence of engravings on the sticking of tablets

Pharm. Dev. Technol., 4, 369-375 (1999)

H. C. J. Orth, C. Rentel, P. C. Schmidt

Isolation, Purity Analysis and Stability of Hyperforin as a Standard Material from Hypericum Perforatum L.

J. Pharm. Pharmacol., 51, 193-200 (1999)

A. Fetscher, P. C. Schmidt

Einfluß von wasserlöslichen und wasserunlöslichen Weichmachern auf die thermomechanischen Eigenschaften von magensaftresistenten Filmüberzügen

Pharm. Ind., 61, 69-73 (1999)

K. Rocksloh, F.-R. Rapp, S. Abu Abed, W. Müller, M. Reher, G. Gauglitz, P. C. Schmidt

Optimization of crushing strength and disintegration time of a high dosed plant extract tablet by neural networks

Drug Dev. Ind. Pharm., 25, 1015-1025 (1999)

H. C. J. Orth, H. Hauer, C. A. J. Erdelmeier, P. C. Schmidt

Orthoforin: The main degradation product of hyperforin from *Hypericum perforatum* L.

Pharmazie, 54, 76-77 (1999)

H. Rey, K. G. Wagner, P. Wehrle, P. C. Schmidt

Development of matrix based theophylline sustained-release microtablets

Drug Dev. Ind. Pharm., 26, 21-26 (2000)

A. Adam, L. Schrimpl, P. C. Schmidt

Some physicochemical properties of mefenamic acid

Drug Dev. Ind. Pharm., 26, 477-487 (2000)

A. Adam, L. Schrimpl, P. C. Schmidt

Factors influencing capping and cracking of mefenamic acid tablets

Drug Dev. Ind. Pharm., 26, 489-497 (2000)

K. Wöstheinrich, P. C. Schmidt

Evaluation and validation of a fully instrumented Hüttlin HKC 05-TJ laboratory-scale fluidized bed granulator

Drug Dev. Ind. Pharm., 26, (6), 621-634, (2000)

H. C. J. Orth, P. C. Schmidt,

Stability and Stabilization of Hyperforin

Pharm. Ind., 62, 60-62 (2000)

O. Planinšek, R. Pišek, A. Kristl, P. C. Schmidt, S. Srčič

Increased aqueous solubility of N-(7-oxododecanoyl)-L-alanyl-D-isoglutamine by coprecipitating with various pharmaceutical carriers

Acta Pharm., 49, 89-98 (1999)

K. G. Wagner, M. Krumme, T. E. Beckert, P. C. Schmidt

Development of disintegrating multiple-unit tablets on a high-speed rotary tablet press

Eur. J. Pharm. Biopharm., 50, 285-291 (2000)

S. Schmid, C. C. Müller-Goymann, P. C. Schmidt

Interactions during aqueous film coating of ibuprofen with Aquacoat ECD

Int. J. Pharm., 197, 35-39 (2000)

T. Gebre-Mariam, P. C. Schmidt

Sustained release chloroquine phosphate from hard gelatin capsules filled with thermosoftening polyethylene glycol-cetostearyl alcohol matrices
Ethiop. Pharm. J., 16, 1-11 (1998)

P. C. Schmidt

Kollidon® (Polyvinylpyrrolidone): A review on its use in granulation
BASF exact, No. 2, July 1999

S. Heinrich, L. Mörl, K. Wöstheinrich, P. C. Schmidt

Non-stationary drying kinetics in a discontinuous pharmaceutical fluidized bed coating process
Drying Technology, 18, 2065-2090 (2000)

H. M. Cabral Marques, P. C. Schmidt

The in vitro deposition of respirable fraction of dry powder inhalations by laser diffractometry and inertial impaction
Pharmazie, 57, 546-551, (2002)

H. Bauer, T. Herkert, M. Bartels, K.-A. Kovar, E. Schwarz, P. C. Schmidt

Investigations on polymorphism of mannitol/sorbitol mixtures after spray-drying using differential scanning calorimetry, X-ray diffraction and Near-Infrared Spectroscopy
Pharm. Ind., 62, 231-235 (2000)

J. Dressler, P. C. Schmidt, M. Bättig, B. Luy, H. Krämer

Reinigungsvalidierung von Tablettenpressen – immer noch ein Problem?
Swiss Pharma, 22, (6), 5-12 (2000)

K. G. Wagner, M. Krumme, P. C. Schmidt

Pellet containing tablets Examination of distribution and deformation behaviour
S. T. P. Pharma, 10, 327-334 (2000)

P. C. Schmidt, H. Römpf

Resistance to crushing of tablets: Do we need a more precise description of the method in the European Pharmacopoeia?
Pharmeuropa, 12, 573-583 (2000)

S. Schmid, M. A. Wahl, P. C. Schmidt

Enteric coating of ibuprofen crystals using modified methacrylate copolymers
Pharm. Ind., 62, 635-641 (2000)

S. Schmid, M. A. Wahl, P. C. Schmidt

Enteric coating of ibuprofen crystals using modified methacrylate copolymers
Drugs made in Germany 44, 12-18 (2000)

K. Wöstheinrich, P. C. Schmidt

Polymorphic changes of thiamine hydrochloride during granulation and tableting
Drug Dev. Ind. Pharm., 27, (6), 481-490, (2001)

H. Bauer, M. Bartels, E. Schwarz, P. C. Schmidt

Particle design by surface modifications: spray drying and co-granulation of mannito/sorbitol-mixtures

S. T. P. Pharma, 11, 203-209 (2001)

B. Schulz, S. Stoeva, W. Voelter, P. C. Schmidt

Proteinanalytische Untersuchungen an Enzymtabletten

Pharmazie, 56, 704-710 (2001)

S. Schmid, P. C. Schmidt

Fast dispersible ibuprofen tablets

Eur. J. Pharm. Sciences, 15, 295-305 (2002)

P. C. Schmidt

Arzneiformendesign für den Urogenitaltrakt

Pharm. Ztg., 146, 2092-2096 (2001)

J. A. Dressler, K. G. Wagner, M. A. Wahl, P. C. Schmidt

Comparison of incremental and inductive displacement transducers on an eccentric tablet press

Pharm. Ind., 63, (8) 886-893 (2001)

J. A. Dressler, K. G. Wagner, M. A. Wahl, P. C. Schmidt

Comparison of incremental and inductive displacement transducers on an eccentric tablet press

Drugs made in Germany, 44, (3) 70-77 (2001)

C. S. Kaiser, H. Römpp, P. C. Schmidt

Pharmaceutical applications of supercritical carbon

Pharmazie, 56, (12) 907-926, (2001)

S. v. Eggelkraut-Gottanka, S. Abu Abed, W. Müller, P. C. Schmidt

Quantitative analysis of active components and by-products of eight dry extracts from Hypericum perforatum L. (St. John's Wort)

Phytochemical analysis, 13, 170-176 (2002)

S. v. Eggelkraut-Gottanka, S. Abu Abed, W. Müller, P. C. Schmidt

Roller compaction and tableting of St. John's wort plant dry extract using a gap width and force controlled roller compactor. 1. Granulation and tableting of eight different extract batches

Pharm Dev. Technol., 7, 433-445, (2002)

S. v. Eggelkraut-Gottanka, S. Abu Abed, W. Müller, P. C. Schmidt

Roller compaction and tableting of St. John's wort plant dry extract using a gap width and force controlled roller compactor. 2. Study of roller compaction variables on granule and tablet properties by a 3³ factorial design

Pharm Dev. Technol., 7, 447-455, (2002)

K. J. Waleczek, B. Hempel, P. C. Schmidt

Preparation and stability of a camomile ointment containing a supercritical carbon dioxide chamomile extract/ β -cyclodextrin inclusion complex

S. T. P. Pharma Sciences, 12 (5), 329-333 (2002)

K. J. Waleczek, H. M. Cabral Marques, B. Hempel, P. C. Schmidt

Phase solubility studies of pure (-)- α -bisabolol and camomile essential oil with β -cyclodextrin
Eur. J. Pharm. Biopharm., in press

A. Endale, P. C. Schmidt, T. Gebre-Mariam

Quantitative determination of saponins in the extracts of the seeds of *glinus lotoides* using
calorimetric and UV-spectrophotometric methods
Ethiop. Pharm. J., 18, 1-14 (2000)

M. Schiller, H. von der Heydt, F. März, P. C. Schmidt

Quantification of sugars and organic acids in hygroscopic pharmaceutical herbal dry extracts by
several chromatographic methods
J. Chromatography A, 18, 1-14 (2002)

M. Schiller, P. C. Schmidt,

Arzneistoffe zum Aufkleben

Pharm. Ztg., 147, 2348-2352 (2002)

M. Schiller, H. von der Heydt, F. März, P. C. Schmidt

Enhanced processing properties and stability of film coated tablets prepared from roller-
compacted and ion-exchanged *Escholtzia californica* Cham. Dry extracts
S. T. P. Pharma, in press

I. Rager, G. Roos, P. C. Schmidt, K.-A. Kovar

Rapid quantification of constituents in St. John's wort extracts by NIR spectroscopy
J. Pharm. Biomedical Analysis, 28, 439-446 (2002)